

Notes:

Rideability Pay Factor is in effect for this item.

All work must be completed between the hours of: 8:00 PM to 6:00 AM

Route: 143/ Merrimac Trail	Milepost From: 4.94	YCL RTE 199
Subdivision:		Lane: N
Traf Grp: XV	Milepost To: 6.06	YCL RTE 641
From Intersection: 4.94 Miles: JB:YORK - JAMES CITY CL		
From Offset: 0 MI	From X/Y Coordinates: -76.37058	37.01126
To Intersection: 6.06 Miles: JB:JAMES CITY - YORK CL		
To Offset: 0 MI	To X/Y Coordinates: -76.38702	37.00233

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16242 - AGR.BASE MAT.TY.I OR II NO. 21A OR21B		1.12	2	2			144	TON
16340 - ASPHALT CONCRETE TY. SM-9.5D		1.12	24			220	1734	TON
16340 - ASPHALT CONCRETE TY. SM-9.5D	turn lanes	0.13	12			220	100	TON
16522 - FLEXIBLE PAVE.PLANING 0"-2"	main line	1.12	24	2			15769	SY
16522 - FLEXIBLE PAVE.PLANING 0"-2"	turn lane	0.13	12	2			915	SY
51615 - 14/1 ENCLOSED COND. CABLE							1700	LF
51912 - SAW CUT 3/8"							6000	LF
51913 - SAW CUT 5/8"							75	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - White							8875	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow							7575	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White							192	LF
54105 - ERAD. OF EXIST.PAVE.MARKING							16250	LF
54106 - Eradication of existing nonlinear pavement marking							594	SF
54217 - SNOW PLOW. RAISED PAVE. MARKER ASPH.CONC							325	EA
54300 - PAVEMENT MESSAGE MARK. ELONGATED ARROW S							14	EA
56021 - 1" PVC CONDUIT							75	LF

Notes:

Rideability Pay Factor is in effect for this item.

All work must be completed between the hours of: 8:00 PM to 6:00 AM

Route: 601/ Hicks Island Road

Milepost From: 1.38

Subdivision:

Lane: B

Traf Grp: VII

Milepost To: 3.07

From Intersection: 1.38 Miles: Diascund Rd; SC-603S/N (James City County); Overlap Terminus:NORTH

From Offset: 0 MI

From X/Y Coordinates: -76.87392

37.40082

To Intersection: 3.07 Miles: Richmond Rd; US-60E; US-60E

To Offset: 0 MI

To X/Y Coordinates: -76.86304

37.41112

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.69	16				15863	SY

Notes:

Route:	629/ Hickory Signpost Road	Milepost From:	0	RTE 615
Subdivision:		Lane:		E
Traf Grp:	VII	Milepost To:	1.3	RTE 5
From Intersection:	0 Miles: Ironbound Rd; William Bedford; SC-615N/S (James City County); SC-615N/S (James City County); SC-			
From Offset:	0 MI	From X/Y Coordinates:	-76.76173	37.24475
To Intersection:	1.30 Miles: John Tyler Hwy; VA-5E/W; VA-5E/W			
To Offset:	0 MI	To X/Y Coordinates:	-76.74724	37.25452

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.3	18				13728	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - White	Add Edge lines at one lane bridge.						3400	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at STOP sign						400	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24"	Add STOPBAR						41	LF

Notes:

Route:	631/ Chickahominy Road	Milepost From:	0
Subdivision:		Lane:	B
Traf Grp:	IX	Milepost To:	5.95
From Intersection:	0 Miles: Forge Rd; SC-610E/W (James City County); SC-610E/W (James City County)		
From Offset:	0 MI	From X/Y Coordinates:	-76.84409 37.3735
To Intersection:	5.95 Miles: Richmond Rd; US-60E; US-60E		
To Offset:	0 MI	To X/Y Coordinates:	-76.80303 37.37917

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		5.95	25				87267	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Double yellow						24825	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	stop bar						28	LF
54106 - Eradication of existing nonlinear pavement marking							56	SF

Notes:

Route: 639/ Llewellyn Drive	Milepost From: 0
Subdivision:	Lane: B
Traf Grp: V	Milepost To: 0.6
From Intersection: 0 Miles: Richmond Rd; US-60E; US-60E	
From Offset: 0 MI	From X/Y Coordinates: -76.82599 37.40338
To Intersection: 0.60 Miles: Old Stage Rd; SC-746E/W (James City County); SC-746E/W (James City County)	
To Offset: 0 MI	To X/Y Coordinates: -76.82016 37.4091

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.6	16				5632	SY

Notes:

Route:	657/ Ivy Hill Road	Milepost From:	0	RTE 60
Subdivision:		Lane:	B	
Traf Grp:	V	Milepost To:	1.3	Dead End
From Intersection:	0 Miles: Ivy Hill Rd; Dead End			
From Offset:	0 MI	From X/Y Coordinates:	-76.84528	37.39074
To Intersection:	1.30 Miles: Richmond Rd; US-60E; US-60E			
To Offset:	0 MI	To X/Y Coordinates:	-76.83861	37.404

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.3	24				18304	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at STOP sign						200	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Add Stopbar						12	LF

Notes:

Route: 682/ Neck O Land Road	Milepost From: 0	RTE 31 - Jamestown Road
Subdivision:		Lane: B
Traf Grp: IX	Milepost To: 1.48	DEAD-END
From Intersection: 0 Miles: Dead End		
From Offset: 0 MI	From X/Y Coordinates: -76.76456 37.21988	
To Intersection: 1.48 Miles: Jamestown Rd; VA-31N/S; VA-31N/S		
To Offset: 0 MI	To X/Y Coordinates: -76.74873 37.23667	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		1.48	20				17365	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - White	White Edge Lines						15630	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Yellow Solid						7815	LF
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Yellow Skip Lines						1000	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Stop Bar						28	LF
54106 - Eradication of existing nonlinear pavement marking							15	SF
54300 - PAVEMENT MESSAGE MARK. ELONGATED ARROW S							1	EA

Notes:

Route: 699/ Camp Road	Milepost From: 0	Dead End
Subdivision:		Lane: B
Traf Grp: IV	Milepost To: 0.5	Route 60
From Intersection: 0 Miles: Camp Rd; Dead End		
From Offset: 0 MI	From X/Y Coordinates: -76.85955 37.4045	
To Intersection:		
To Offset: 0 MI	To X/Y Coordinates: -76.85765 37.4093	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.5	22				6453	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double yellow at Stopbar						200	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Add Stopbar						12	LF

Notes:

Route:	1531/ Fall East	Milepost From:	0	RTE 1530
Subdivision:	SEASONS TRACE	Lane:	B	
Traf Grp:	V	Milepost To:	0.15	CUL-DE-SAC
From Intersection:	0 Miles: Seasons Trc; SC-1530E/W (James City County); SC-1530E/W (James City County)			
From Offset:	0 MI	From X/Y Coordinates:	-76.76151	37.3191
To Intersection:	0.15 Miles: Cul-de-Sac			
To Offset:	0 MI	To X/Y Coordinates:	-76.76054	37.31969

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.15	22				1936	SY

Notes:

Route:	1537/ Winter East	Milepost From:	0	RTE 1530
Subdivision:	SEASONS TRACE	Lane:	B	
Traf Grp:	VI	Milepost To:	0.21	CUL-DE-SAC
From Intersection:	0 Miles: Seasons Trc; SC-1530E/W (James City County); SC-1530E/W (James City County)			
From Offset:	0 MI	From X/Y Coordinates:	-76.76065	37.32061
To Intersection:	0.21 Miles: Cul-de-Sac			
To Offset:	0 MI	To X/Y Coordinates:	-76.75784	37.32003

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.21	22				2710	SY

Notes:

Route: 1540/ Seasons Court	Milepost From: 0	CUL-DE-SAC
Subdivision: SEASONS TRACE		Lane: B
Traf Grp: IV	Milepost To: 0.06	RTE 1539
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.75589 37.32027	
To Intersection: 0.06 Miles: Se Trc; SC-1539N/S (James City County); SC-1539N/S (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.75591 37.31949	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.06	22				774	SY

Notes:

Route: 1541/ Mattaponi Court	Milepost From: 0	CUL-DE-SAC
Subdivision: SEASONS TRACE		Lane: B
Traf Grp: VI	Milepost To: 0.25	RTE 1530
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.75719 37.31532	
To Intersection: 0.25 Miles: Seasons Trc; SC-1530E/W (James City County); SC-1530E/W (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.75477 37.31809	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.25	22				3227	SY

Notes:

Route: 1542/ Teal Way	Milepost From: 0	CUL-DE-SAC
Subdivision: SEASONS TRACE		Lane: B
Traf Grp: VI	Milepost To: 0.32	RTE 1530
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.75346 37.31488	
To Intersection: 0.32 Miles: Kestrel Ct; SC-1546E/W (James City County); SC-1546E/W (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.75166 37.31902	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.32	24				4506	SY

Notes:

Route: 1543/ Pintail Trace	Milepost From: 0	CUL-DE-SAC
Subdivision: SEASONS TRACE		Lane: B
Traf Grp: V	Milepost To: 0.17	RTE 1542
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.75555 37.31467	
To Intersection: 0.17 Miles: Teal Way; SC-1542S/N (James City County); SC-1542S/N (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.75367 37.31591	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.17	22				2194	SY

Notes:

Route: 1544/ Puffin Lane	Milepost From: 0	RTE 1542
Subdivision: SEASONS TRACE		Lane: B
Traf Grp: IV	Milepost To: 0.07	CUL-DE-SAC
From Intersection: 0 Miles: Pintail Trc; SC-1543S/N (James City County); SC-1543S/N (James City County)		
From Offset: 0 MI	From X/Y Coordinates: -76.7545 37.31609	
To Intersection: 0.07 Miles: Cul-de-Sac		
To Offset: 0 MI	To X/Y Coordinates: -76.75409 37.31704	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.07	22				903	SY
Notes:								

Route: 1545/ Heron Court	Milepost From: 0	CUL-DE-SAC
Subdivision: SEASONS TRACE		Lane: B
Traf Grp: IV	Milepost To: 0.12	RTE 1532
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.75262 37.31779	
To Intersection: 0.12 Miles: Teal Way; SC-1542S/N (James City County); SC-1542S/N (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.75446 37.31849	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.12	22				1549	SY

Notes:

Route: 1546/ Kestrel Court	Milepost From: 0	CUL-DE-SAC
Subdivision: SEASONS TRACE		Lane: B
Traf Grp: IV	Milepost To: 0.13	RTE 1532
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.75166	37.31902
To Intersection: 0.13 Miles: Kestrel Ct; Cul-de-Sac		
To Offset: 0 MI	To X/Y Coordinates: -76.75166	37.31902

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.13	24				1830	SY

Notes:

Route:	1460/ Williamsburg Galde	Milepost From:	0	CUL-DE-SAC
Subdivision:	POWHATAN SHORES	Lane:	B	
Traf Grp:	VII	Milepost To:	0.32	RTE 682
From Intersection:	0 Miles: Branscome Blvd; Cul-de-Sac			
From Offset:	0 MI	From X/Y Coordinates:	-76.76376	37.22822
To Intersection:	0.32 Miles: Neck O Land Rd; SC-682N/S (James City County); SC-682N/S (James City County)			
To Offset:	0 MI	To X/Y Coordinates:	-76.75916	37.22549

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.32	24				4506	SY

Notes:

Route: 618/ Lake Powell Road	Milepost From: 0	RTE 682
Subdivision: COLONY		Lane: B
Traf Grp: V	Milepost To: 0.22	DEAD END
From Intersection:		
From Offset: 0 MI	From X/Y Coordinates: -76.75013 37.23495	
To Intersection:		
To Offset: 0 MI	To X/Y Coordinates: -76.74633 37.23374	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.22	16				2065	SY

Notes:

Route:	671/ The Colony	Milepost From:	0	RTE 682
Subdivision:	COLONY	Lane:	B	
Traf Grp:	V	Milepost To:	0.36	RTE 618
From Intersection:	0 Miles: Neck O Land Rd; SC-682N/S (James City County); SC-682N/S (James City County)			
From Offset:	0 MI	From X/Y Coordinates:	-76.74962	37.23549
To Intersection:	0.36 Miles: Lake Powell Rd; SC-618E/W (James City County); SC-618E/W (James City County)			
To Offset:	0 MI	To X/Y Coordinates:	-76.74633	37.23374

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	16				3379	SY

Notes:

Route:	671/ The Colony	Milepost From:	0	RTE 682
Subdivision:	COLONY	Lane:	B	
Traf Grp:	V	Milepost To:	0.26	RTE 670
From Intersection:	0 Miles: Neck O Land Rd; SC-682N/S (James City County); SC-682N/S (James City County)			
From Offset:	0 MI	From X/Y Coordinates:	-76.74962	37.23549
To Intersection:	0.26 Miles: The Colony; SC-670W/E (James City County)			
To Offset:	0 MI	To X/Y Coordinates:	-76.74567	37.23494

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.26	16				2440	SY

Notes:

Route: 1650/ William Bedford	Milepost From: 0	RTE 1657
Subdivision: CHANCO'S GRANT		Lane: B
Traf Grp: V	Milepost To: 0.41	RTE 615
From Intersection: 0 Miles: John Procter E; John Procter W; SC-1657W/E (James City County); SC-1657W/E (James City County)		
From Offset: 0 MI	From X/Y Coordinates: -76.76839 37.24336	
To Intersection: 0.41 Miles: Hickory Signpost Rd; Ironbound Rd; SC-615N/S (James City County); SC-615N/S (James City County);		
To Offset: 0 MI	To X/Y Coordinates: -76.76173 37.24475	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.41	22				5291	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at Stopsign						200	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Stop Bar						19	LF

Notes:

Route: 1352/ Whittaker Island Road	Milepost From: 0	RTE 1357
Subdivision: GOVENOR'S LAND		Lane: B
Traf Grp: V	Milepost To: 0.36	RTE 1351
From Intersection: 0 Miles: Sanctuary Dr; SC-1357E/W (James City County); SC-1357E/W (James City County)		
From Offset: 0 MI	From X/Y Coordinates: -76.83255 37.24628	
To Intersection: 0.36 Miles: Two Rivers Rd; SC-1351E/W (James City County); SC-1351E/W (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.83079 37.24923	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	50				10560	SY

Notes:

Route:	1353/ West Whittaker Close	Milepost From:	0	Route 1354
Subdivision:	GOVENOR'S LAND	Lane:	B	
Traf Grp:	V	Milepost To:	0.222	Route 1352
From Intersection:	0 Miles: E Whittaker Close; Whittaker Island Rd; SC-1354S/N (James City County); SC-1352N (James City County);			
From Offset:	0 MI	From X/Y Coordinates:	-76.83126	37.24874
To Intersection:	0.22201202 Miles: SC-1352S (James City County); SC-1352S (James City County)			
To Offset:	0 MI	To X/Y Coordinates:	-76.83079	37.24923

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.22	22				2839	SY
Notes:								

Route: 1354/ East Whittaker Close	Milepost From: 0	CUL-DE-SAC
Subdivision: GOVENOR'S LAND		Lane: B
Traf Grp: IV	Milepost To: 0.09	RTE 1353
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.83115 37.24866	
To Intersection: 0.09 Miles: W Whittaker Close; Whittaker Island Rd; SC-1353W/E (James City County); SC-1352N (James City		
To Offset: 0 MI	To X/Y Coordinates: -76.83047 37.24764	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.09	24				1267	SY

Notes:

Route:	1355/ South Freeman Road	Milepost From:	0	RTE 1352
Subdivision:	GOVENOR'S LAND	Lane:	B	
Traf Grp:	V	Milepost To:	0.22	RTE 1351
From Intersection:	0 Miles: Whittaker Island Rd; SC-1352N (James City County); SC-1352N (James City County)			
From Offset:	0 MI	From X/Y Coordinates:	-76.83305	37.24759
To Intersection:	0.22 Miles: Parkside Ln; Two Rivers Rd; SC-1351E/W (James City County); SC-1351E/W (James City County); SC-			
To Offset:	0 MI	To X/Y Coordinates:	-76.83305	37.24759

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.22	24				3098	SY

Notes:

Route: 1356/ East Island Road	Milepost From: 0	CUL-DE-SAC
Subdivision: GOVENOR'S LAND		Lane: B
Traf Grp: V	Milepost To: 0.2	RTE 1352
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.83511 37.24552	
To Intersection: 0.20 Miles: Whittaker Island Rd; SC-1352N (James City County); SC-1352N (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.83309 37.24678	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.2	24				2816	SY

Notes:

Route: 1357/ Sanctuary Drive	Milepost From: 0	RTE 1356
Subdivision: GOVENOR'S LAND	Lane: B	
Traf Grp: VI	Milepost To: 0.28	CUL-DE-SAC
From Intersection: 0 Miles: E Island Rd; SC-1356N/S (James City County); SC-1356N/S (James City County)		
From Offset: 0 MI	From X/Y Coordinates: -76.83511 37.24552	
To Intersection: 0.28 Miles: Cul-de-Sac		
To Offset: 0 MI	To X/Y Coordinates: -76.83102 37.24529	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.28	24				3942	SY

Notes:

Route: 1359/ Travis Close	Milepost From: 0	CUL-DE-SAC
Subdivision: GOVENOR'S LAND	Lane:	B
Traf Grp: III	Milepost To: 0.11	RTE 1358
From Intersection: 0 Miles: Cul-de-Sac		
From Offset: 0 MI	From X/Y Coordinates: -76.83809 37.24822	
To Intersection: 0.11 Miles: SC-1358N (James City County); SC-1358N (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.8372 37.2469	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.11	24				1549	SY
Notes:								

Route:	1361/ Parkside Lane	Milepost From:	0	RTE 1355
Subdivision:	GOVENOR'S LAND	Lane:	B	
Traf Grp:	V	Milepost To:	0.35	CUL-DE-SAC
From Intersection:	0 Miles: S Freeman Rd; Two Rivers Rd; SC-1355N/S (James City County); SC-1351E/W (James City County); SC-			
From Offset:	0 MI	From X/Y Coordinates:	-76.83483	37.25099
To Intersection:	0.35 Miles: SC-1361S (James City County); Cul-de-Sac			
To Offset:	0 MI	To X/Y Coordinates:	-76.83944	37.25276

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.35	46				9445	SY

Notes:

Route: 717/ Druid Court	Milepost From: 0	RTE 732
Subdivision: KINGSWOOD		Lane: B
Traf Grp: VI	Milepost To: 0.36	CUL-DE-SAC
From Intersection: 0 Miles: Braddock Rd; SC-732N/S (James City County); SC-732N/S (James City County)		
From Offset: 0 MI	From X/Y Coordinates:	-76.74415 37.24994
To Intersection: 0.36 Miles: Dead End		
To Offset: 0 MI	To X/Y Coordinates:	-76.7396 37.25213

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	36				7603	SY

Notes:

Route:	718/ Oxford Circle	Milepost From:	0	RTE	727
Subdivision:	KINGSWOOD	Lane:		B	
Traf Grp:	V	Milepost To:	0.09	CUL-DE-SAC	
From Intersection:	0 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)				
From Offset:	0 MI	From X/Y Coordinates:	-76.74223		37.25236
To Intersection:	0.09 Miles: Dead End				
To Offset:	0 MI	To X/Y Coordinates:	-76.7407		37.25286

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.09	36				1901	SY

Notes:

Route:	726/ Kingswood Drive	Milepost From:	0
Subdivision:	KINGSWOOD	Lane:	B
Traf Grp:	V	Milepost To:	0.36
From Intersection:	0 Miles: Spring Rd; SC-1401E/W (James City County); SC-1401E/W (James City County)		
From Offset:	0 MI	From X/Y Coordinates:	-76.74178 37.2463
To Intersection:	0.36 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)		
To Offset:	0 MI	To X/Y Coordinates:	-76.73871 37.25082

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.36	22				4646	SY

Notes:

Route:	727/ Oxford Road	Milepost From:	0	DEAD END
Subdivision:	KINGSWOOD	Lane:	B	
Traf Grp:	VI	Milepost To:	0.46	RTE 31
From Intersection:	0 Miles: Oxford Rd; Dead End			
From Offset:	0 MI	From X/Y Coordinates:	-76.74297	37.25293
To Intersection:	0.46 Miles: Jamestown Rd; VA-31N/S; VA-31N/S			
To Offset:	0 MI	To X/Y Coordinates:	-76.73663	37.249

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.46	36				9715	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Yellow Solid						400	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Stop Bar						20	LF
54106 - Eradication of existing nonlinear pavement marking							40	SF

Notes:

Route:	731/ Anthony Wayne Road	Milepost From:	0	RTE 732
Subdivision:	KINGSWOOD	Lane:	B	
Traf Grp:	V	Milepost To:	0.14	RTE 717
From Intersection:	0 Miles: Braddock Rd; SC-732N/S (James City County); SC-732N/S (James City County)			
From Offset:	0 MI	From X/Y Coordinates:	-76.74346	37.25142
To Intersection:	0.14 Miles: Druid Dr; SC-717S/N (James City County); SC-717S/N (James City County)			
To Offset:	0 MI	To X/Y Coordinates:	-76.74113	37.25047

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.14	38				3121	SY

Notes:

Route: 732/ Braddock Road	Milepost From: 0	CUL-DE-SAC
Subdivision: KINGSWOOD		Lane: B
Traf Grp: V	Milepost To: 0.29	RTE 727
From Intersection: 0 Miles: Dead End		
From Offset: 0 MI	From X/Y Coordinates: -76.7448 37.24954	
To Intersection: 0.29 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.74294 37.2529	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.29	38				6465	SY

Notes:

Route: 734/ Dover Road	Milepost From: 0	RTE 726
Subdivision: KINGSWOOD		Lane: B
Traf Grp: VI	Milepost To: 0.27	RTE 727
From Intersection: 0 Miles: Kingswood Dr; SC-726N/S (James City County); SC-726N/S (James City County)		
From Offset: 0 MI	From X/Y Coordinates: -76.74141 37.24688	
To Intersection: 0.27 Miles: Oxford Rd; SC-727W/E (James City County); SC-727W/E (James City County)		
To Offset: 0 MI	To X/Y Coordinates: -76.73773 37.24976	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.27	20				3168	SY
54032 - TY.B CL.I PAVE. LINE MARK. 4" - Yellow	Add Double Yellow at STOP sign						400	LF
54042 - TY.B CL.I PAVE. LINE MARK. 24" - White	Add Stop Bar						14	LF

Notes:

Route:	1402/ West Kingswood Drive	Milepost From:	0	CUL-DE-SAC
Subdivision:	KINGSWOOD	Lane:	B	
Traf Grp:	VII	Milepost To:	0.46	RTE 1401
From Intersection:	0 Miles: Dead End			
From Offset:	0 MI	From X/Y Coordinates:	-76.74892	37.24272
To Intersection:	0.46 Miles: Spring Rd; SC-1401E/W (James City County)			
To Offset:	0 MI	To X/Y Coordinates:	-76.74377	37.24753

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.46	36				9715	SY

Notes:

Route: 1406/ South Sulgrave Court	Milepost From: 0	RTE 1402
Subdivision: KINGSWOOD		Lane: B
Traf Grp: III	Milepost To: 0.07	CUL-DE-SAC
From Intersection: 0 Miles: Dead End		
From Offset: 0 MI	From X/Y Coordinates: -76.74751 37.24387	
To Intersection: 0.07 Miles: Dead End		
To Offset: 0 MI	To X/Y Coordinates: -76.7478 37.24469	

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.07	50				2053	SY

Notes:

Route:	1406/ North Sulgrave Court	Milepost From:	0	RTE 1402
Subdivision:	KINGSWOOD	Lane:	B	
Traf Grp:	III	Milepost To:	0.02	CUL-DE-SAC
From Intersection:	0 Miles: Dead End			
From Offset:	0 MI	From X/Y Coordinates:	-76.74751	37.24387
To Intersection:	0.02 Miles: W Kingswood Dr; SC-1402S/N (James City County); SC-1402S/N (James City County)			
To Offset:	0 MI	To X/Y Coordinates:	-76.74761	37.24418

Item Code & Description	Detail	Len(mi)	Wid(ft)	Dep(in)	Gal/SqYd	Lbs/SqYd	Quantity	UOM
16161 - MODIFIED SINGLE SEAL Asphalt:CRS-2 Aggregate:8NP		0.02	75				880	SY

Notes: